ELSEVIER

Advances in Colloid and Interface Science 71–72 (1997) vii–viii

ADVANCES IN COLLOID AND INTERFACE SCIENCE

Contents

Special Issue: The PRESTO Program: Structure and Functional Properties

Preface 1

1. Advanced materials

1.1. Nanostructures at semiconductor surfaces

Selective epitaxy with *in-situ* mask processing and pulse plasma
K. Ozasa (Wako, Japan) 3
Preparation of nanocrystalline silicon quantum dot structure by pulsed plasma processes
S. Oda (Tokyo, Japan) 31
Modification of silicon surfaces by molecule grafting of organo-germanium gas using vacuum-ultraviolet-light irradiation
H. Ohshima (Tsukuba, Japan) 49
Preparation and properties of III-V based new diluted magnetic semiconductors
H. Ohno (Sendai, Japan) 61
Simulation of quantum transport of coherent electrons by solving the time-dependent Schrödinger equation
G. Fasol (Tokyo, Japan) 77

1.2. Organic systems

Molecular hysteresis
M. Sano (Nagoya, Japan) 93
Electronic characteristics of large π-electron conjugated dumbbell-shaped donors and their radical cationic salts
M. Mizutani (Sodegaura, Japan) 111

2. Size and surface effects

2.1. Electronic properties and structure

Electrical functional properties of surface superstructures on semiconductors
S. Hasegawa, C.-S. Jiang, X. Tong and Y. Nakajima (Tokyo, Japan) 125
An elongation method to calculate the electronic structure of non-periodical and periodical polymers
A. Imamura and Y. Aoki (Higashi-Hiroshima, Japan) 147
Magic number and quasi-melting temperature discovered in crystal growth and surface phase transitions
A. Ishizaka (Tsukuba, Japan) 165

2.2. Ferroelectricity and superconductivity

Structure and functional properties of ferroelectric polymers
T. Furukawa (Tokyo, Japan) 183
Dynamic structure factor of non-crystalline and crystalline systems as revealed by MARI, a neutron chopper instrument
M. Arai (Kobe, Japan) 209

2.3. Atomic and surfaces forces

Measurement of atomic forces between surface atoms using an ultra-clean AFM incorporated in an XHV integrated system
M. Tosa (Tsukuba, Japan) 233
Direct measurement of surface forces as a novel means of investigating supramolecular assemblies
K. Kurihara (Nagoya, Japan) 243

2.4. Reactivity

Supercritical fluids: an interesting medium for chemical and biochemical processes
Y. Ikushima (Sendai, Japan) 259
Effect of poling on dissolution of a piezoelectric copolymer of vinylidene cyanide and vinyl acetate by dimethyl sulfoxide
T. Seto (Tsukuba, Japan) 281
A proposed study on trapping of positive muon in defects in the vicinity of metal surfaces
A. Matsushita (Wako, Japan) 289
Dissolution of minerals in relation with the origin of life
K. Kawada (Tsukuba, Japan) 299

3. New method for surface characterizations

3.1. Surface magnetism

Spin-polarized atomic scattering: a new probe for dynamical spin correlation at surface and interface
E. Torikai (Kofu, Japan) 317
The possibility of measuring the spin polarization of electrons from the top atom layer of solid surfaces
K. Hayakawa (Sapporo, Japan) 337

3.2. Beam source for the next generation and beam technology

An apparatus for high resolution field emission spectroscopy
C. Oshima (Tokyo, Japan) 353
Current status and biological research ramifications of photon storage ring as a noble infrared laser source
H. Yamada (Kusatsu, Japan) 371
Quantum field action effect on radiation cooling and cyclotron maser cooling of particle beams
H. Ikegami (Uppsala, Sweden) 393

3.3. Optical activity

Development of novel method for measuring optical activity of solids and its applications
J. Kobayashi (Tokyo, Japan) 403